

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	(yen with sheng).inv. and USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09
L2	12	1 and dual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09
L3	1	2 and "960"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09
L4	165	(710/5,11,62,107,305 439/545). cccls. and USB and dual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:11
L5	5	4 and "960"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:11

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	(yen with sheng).inv. and USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09
L2	12	1 and dual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09
L3	1	2 and "960"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09
S1	0	(@ad<"20030501" @rlad<"20030501") and dual adj channel adj (USB Universal adj serial adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00
S2	0	(@ad<"20030501" @rlad<"20030501") and dual adj channel adj USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:59
S3	0	(@ad<"20030501" @rlad<"20030501") and wide adj band adj serial adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00
S4	0	(@ad<"20030501" @rlad<"20030501") and wideband adj serial adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00
S5	219	(@ad<"20030501" @rlad<"20030501") and WSB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00
S6	2	S5 and USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00

## EAST Search History

S7	7	(@ad<"20030501" @rlad<"20030501") and dual with channel with USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:10
S8	0	S7 and chirp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00
S9	1	S7 and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:01
S10	658	(@ad<"20030501" @rlad<"20030501") and USB and "960" and dual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:10
S11	0	(@ad<"20030501" @rlad<"20030501") and USB and "960" adj Mbps and dual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:10
S12	3	(@ad<"20030501" @rlad<"20030501") and USB and "960" and dual adj channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 14:55
S13	30	(@ad<"20030501" @rlad<"20030501") and USB adj port with receive with only and USB adj port with transmi\$5 with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:56
S14	0	S13 and (dual two) adj (port channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:54
S15	38	(@ad<"20030501" @rlad<"20030501") and dual adj port with USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:57
S16	0	S15 and transmi\$5 adj only and receive adj only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:56

## EAST Search History

S17	0	S15 and transmi\$5 adj only and receiv\$3 adj only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:56
S18	7	S15 and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 14:31
S19	1	10/815818	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 14:31
S20	11	(@ad<"20030501" @rlad<"20030501") and dual adj (port channel interface) adj USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:09